

# TECHNICAL QUESTIONNAIRE

## Equipment : BUCKET ELEVATOR



### COMPANY

Name  Contact

Date

### PRODUCT

Specific gravity  Kg/m<sup>3</sup>

Particle size min  mm

Particle size max  mm

Product temperature  °C

Humidity  %

Atex  YES  NO Area

Explosivity class  St1  St2

Max surface temperature  °C

Particularities (abrasive, toxic, arching, sticky, etc.)

### EQUIPMENT

Flowrate  t/h

Discharging height  mm

Gear motor's mounting position  Left  Right

Operation  Batch  Continuous  Other : .....

Belt manufacturing's material  Food product  YES  NO

Casing manufacturing's material  Galvanized steel, painted steel, SS304, SS316, etc.)

Finishing (polishing, paint RAL, etc.)

Buckets' manufacturing material  (PA, PE FDA, carbon steel, stainless steel, ...)

Food product  YES  NO

Quantity

### ACCESSORIES

Belt offset sensor  YES  NON

Rotation sensor  YES  NON

Self-structure frame  YES  NON

Maintenance platform with ladder with crinoline  YES  NON

High temperature  YES  NON



---

PALAMATIC PROCESS - Rue de l'Ecotais ZA Croix Rouge - 35530 BRECE

Tel : 02 99 86 06 22 - Fax : 02 99 86 83 18 - [contact@palamatic.fr](mailto:contact@palamatic.fr)